

DD Bio Splint FLEX

Revision date: 28.10.2022

Page 1 of 9

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

DD Bio Splint FLEX

1.2. Relevant identified uses of the substance or mixture and uses advised against**Use of the substance/mixture**

Dental Direkt polymer milling blanks are intended for the fabrication of fixed or removable restorations as well as dental splints.

Uses advised against

No information available.

1.3. Details of the supplier of the safety data sheet

Company name:	Dental Direkt GmbH	
Street:	Industriezentrum 106-108	
Place:	D-32139 Spenge	
Telephone:	05225 - 8 63 19-0	Telefax: 05225 - 8 63 19-99
e-mail:	info@dentaldirekt.de	
Internet:	www.dentaldirekt.de	
Responsible Department:	info@dentaldirekt.de	

1.4. Emergency telephone number:

+49 (0) 761 19240 (VIZ Freiburg), Poisons information Centre of Ireland +353 1 809 21 66; <http://www.poisons.ie/Public>

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture****Regulation (EC) No 1272/2008**

This mixture is not classified as hazardous in accordance with Regulation (EC) No 1272/2008.

2.2. Label elements**2.3. Other hazards**

The melted product can cause severe burns.

May form combustible dust concentrations in air.

Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

SECTION 3: Composition/information on ingredients**3.2. Mixtures****Chemical characterization**

(This substance is exempted from the registration provisions according to REACH Article 2 (9).)

Hazardous components

none (according to Regulation (EC) No 1907/2006 (REACH))

Further Information

No information available.

SECTION 4: First aid measures**4.1. Description of first aid measures****General information**

The melted product can cause severe burns.

DD Bio Splint FLEX

Revision date: 28.10.2022

Page 2 of 9

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

After inhalation

Remove person to fresh air and keep comfortable for breathing. Put victim at rest, cover with a blanket and keep warm. If experiencing respiratory symptoms: Call a doctor.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap.

If skin irritation occurs: Get medical advice/attention.

After contact with molten product, cool skin area rapidly with cold water.

After contact with eyes

Protect uninjured eye. In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Remove contact lenses, if present and easy to do. Continue rinsing.

After ingestion

Call a physician in any case!

Rinse mouth thoroughly with water. Let 1 glass of water be drunken in little sips (dilution effect). Never give anything by mouth to an unconscious person or a person with cramps.

Do NOT induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

First Aid, decontamination, treatment of symptoms.

SECTION 5: Firefighting measures**5.1. Extinguishing media****Suitable extinguishing media**

Carbon dioxide (CO₂), Dry extinguishing powder, Water spray jet

Unsuitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

Take action to prevent static discharges. Provide earthing of containers, equipment, pumps and ventilation facilities. Use explosion-proof machinery, apparatus, ventilation facilities, tools etc.

May form combustible dust concentrations in air.

Do not inhale explosion and combustion gases.

In case of fire may be liberated:

Carbon dioxide (CO₂), Carbon monoxide, Nitrogen oxides (NO_x)

5.3. Advice for firefighters

Avoid: Generation/formation of dust

Wear protective gloves/protective clothing.

In case of fire: Wear self-contained breathing apparatus.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

Residues of fire and contaminated water have to be disposed according to the local regulations.

SECTION 6: Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures****General advice**

See protective measures under point 7 and 8.

Personal protection equipment: see section 8

DD Bio Splint FLEX

Revision date: 28.10.2022

Page 3 of 9

Remove all sources of ignition.
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Take precautionary measures against static discharges.
Provide adequate ventilation.
Clear spills immediately.
Measures to prevent aerosol and dust generation
Avoid contact with skin, eyes and clothes.

For non-emergency personnel

Remove persons to safety.
Stop leak if safe to do so.

For emergency responders

Knock down dust with water spray jet.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

6.3. Methods and material for containment and cleaning up**For containment**

Take up mechanically. Use approved industrial vacuum cleaner for removal. Avoid dust formation. Collect in closed and suitable containers for disposal. Dispose of waste according to applicable legislation.

For cleaning up

Cleaning agent: Water

Dust:

Do not use a brush or compressed air for cleaning surfaces or clothing. Do not use a dry brush as dust clouds or static can be created. Use approved industrial vacuum cleaner for removal.

Other information

Provide fresh air.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage**7.1. Precautions for safe handling****Advice on safe handling**

Wear personal protection equipment (refer to section 8).
Avoid contact with skin, eyes and clothes.
Avoid release to the environment. Do not allow to enter into surface water or drains.
Avoid: Generation/formation of dust, Dust deposits
Ventilate affected area. In case of inadequate ventilation wear respiratory protection.

Advice on protection against fire and explosion

May form combustible dust concentrations in air.
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
Take precautionary measures against static discharges.
Provide earthing of containers, equipment, pumps and ventilation facilities.
Use explosion-proof machinery, apparatus, ventilation facilities, tools etc.

Advice on general occupational hygiene

Minimum protective measures according to TRGS 500 (Germany)
Only wear fitting, comfortable and clean protective clothing.
When using do not eat, drink, smoke, sniff.
Wash hands before breaks and after work.
Take off contaminated clothing and wash it before reuse.

DD Bio Splint FLEX

Revision date: 28.10.2022

Page 4 of 9

Apply skin care products after work.

Make available sufficient washing facilities Provide eye shower and label its location conspicuously

Further information on handling

Observe instructions for use.

Working places should be designed to allow cleaning at any time.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. Keep only in original packaging. Store in a cool dry place.

Avoid: UV-radiation/sunlight

Hints on joint storage

Keep away from: Food and feedingstuffs

Do not store together with: Oxidising agent, strong

Further information on storage conditions

Keep away from: Heat, extreme temperatures

Protect from sunlight. Store in a well-ventilated place.

Protect from moisture.

7.3. Specific end use(s)

Reference to other sections: 1.2

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

CAS No	Substance	ppm	mg/m ³	fib/cm ³	Category	Origin
-	Dusts non-specific, respirable	-	4		TWA (8 h)	
-	Dusts non-specific, total inhalable	-	10		TWA (8 h)	

Additional advice on limit values

Observe in addition any national regulations!

8.2. Exposure controls

Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

Minimum room ventilation rate for handling/application (air changes per hour): 10

If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn.

Provide earthing of containers, equipment, pumps and ventilation facilities.

Use explosion-proof machinery, apparatus, ventilation facilities, tools etc.

Individual protection measures, such as personal protective equipment

Eye/face protection

Dust protection eye glasses EN 166

In case of warming: Wear face protection.

Hand protection

Tested protective gloves must be worn: EN ISO 374

The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

DD Bio Splint FLEX

Revision date: 28.10.2022

Page 5 of 9

Thickness of the glove material, Breakthrough times and swelling properties of the material must be taken into consideration.

Observe the wear time limits as specified by the manufacturer.

In case of warming:

Skin protection

Wear suitable protective clothing.

Respiratory protection

Respiratory protection necessary at: exceeding exposure limit values, insufficient ventilation, dust formation
Use appropriate respiratory protection. Full-/half-/quarter-face masks (EN 136/140), Particle filter device (EN 143). Observe the wear time limits according GefStoffV in combination with the rules for using respiratory protection apparatus (BGR 190). The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, self-contained breathing apparatus must be used.

Thermal hazards

Incineration

Environmental exposure controls

Clear spills immediately.

Dust must be exhausted directly at the point of origin.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	solid (granulate)	
Colour:	various	
Odour:	characteristic	
Melting point/freezing point:		No data available
Boiling point or initial boiling point and boiling range:		No data available
Lower explosion limits:		No data available
Upper explosion limits:		No data available
Flash point:		No data available
Auto-ignition temperature:		No data available
Decomposition temperature:		No data available
pH-Value:		No data available
Water solubility:		poorly soluble
Solubility in other solvents		
No data available		
Partition coefficient n-octanol/water:		No data available
Vapour pressure:		No data available
Density:		>1 g/cm ³
Relative vapour density:		No data available

9.2. Other information

Information with regard to physical hazard classes

Explosive properties

The product in the delivered form is not dust explosion capable; the enrichment of fine dust however leads to the danger of dust explosion.

Sustaining combustion:

No data available

Self-ignition temperature

Solid:

No data available

Gas:

No data available

Oxidizing properties

No data available

DD Bio Splint FLEX

Revision date: 28.10.2022

Page 6 of 9

Other safety characteristics

Evaporation rate:	No data available
Sublimation point:	No data available
Softening point:	No data available
Pour point:	No data available

Further Information

No information available.

SECTION 10: Stability and reactivity**10.1. Reactivity**

No known hazardous reactions.

10.2. Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

10.3. Possibility of hazardous reactions

May form combustible dust concentrations in air.

10.4. Conditions to avoid

The product is stable under storage at normal ambient temperatures.

Heat

Generation/formation of dust: Avoid dust formation.

Take precautionary measures against static discharges. Take action to prevent static discharges.

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

10.5. Incompatible materials

Oxidising agent, strong

10.6. Hazardous decomposition products

In case of fire: Carbon dioxide, Carbon monoxide, Nitrogen oxides (NOx)

Further information

No data available

SECTION 11: Toxicological information**11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008****Acute toxicity**

Based on available data, the classification criteria are not met.

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Practical experience

The melted product can cause severe burns.

DD Bio Splint FLEX

Revision date: 06.09.2022

Page 7 of 9

11.2. Information on other hazards**Endocrine disrupting properties**

No data available

Further information

Calculation method.

SECTION 12: Ecological information**12.1. Toxicity**

No information available.

12.2. Persistence and degradability

No information available.

12.3. Bioaccumulative potential

No information available.

12.4. Mobility in soil

No information available.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No information available.

Further information

Do not allow to enter into surface water or drains.

water hazard class: slightly hazardous to water

SECTION 13: Disposal considerations**13.1. Waste treatment methods****Disposal recommendations**

Dispose of waste according to applicable legislation.

Recycle according to official regulations.

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Non hazardous waste according to Directive 2008/98/EC (waste framework directive).

List of Wastes Code - residues/unused products

070213 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of plastics, synthetic rubber and man-made fibres; waste plastic

Contaminated packaging

Dispose of waste according to applicable legislation.

Recycle according to official regulations.

Completely emptied packages can be recycled.

SECTION 14: Transport information**Land transport (ADR/RID)****14.1. UN number or ID number:**

No dangerous good in sense of this transport regulation.

Inland waterways transport (ADN)**14.1. UN number or ID number:**

No dangerous good in sense of this transport regulation.

Marine transport (IMDG)

DD Bio Splint FLEX

Revision date: 28.10.2022

Page 8 of 9

- 14.1. UN number or ID number:** No dangerous good in sense of this transport regulation.
- Air transport (ICAO-TI/IATA-DGR)**
- 14.1. UN number or ID number:** No dangerous good in sense of this transport regulation.
- 14.5. Environmental hazards**
- ENVIRONMENTALLY HAZARDOUS: No
- 14.6. Special precautions for user**
No information available.
- 14.7. Maritime transport in bulk according to IMO instruments**
No information available.

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulatory information**

Information according to 2012/18/EU (SEVESO III): Not subject to 2012/18/EU (SEVESO III)

Additional information

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)
Classification according to Regulation (EC) No 1272/2008 [CLP]
Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste and repealing certain Directives
CINNEADH AN CHOIMISIÚIN an 18 Nollaig 2014 lena leasaítear Cinneadh 2000/532/CE maidir le liosta dramhaíola i gcomhréir le Treoir 2008/98/CE ó Pharlaimint na hEorpa agus ón gComhairle

National regulatory information

Water hazard class (D): 1 - slightly hazardous to water

Additional information

Germany:
Verordnung über Anlagen zum Umgang mit wassergefährdenden Stoffen (AwSV)
To follow: TRGS 500, TRGS 720 ff., TRGS 727, TRGS 900

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information**Abbreviations and acronyms**

ADR: Accord européen sur le transport des marchandises dangereuses par Route
(European Agreement concerning the International Carriage of Dangerous Goods by Road)
RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer
(Regulations Concerning the International Transport of Dangerous Goods by Rail)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)
ICAO: International Civil Aviation Organization
ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)
CLP: Classification, labelling and Packaging
REACH: Registration, Evaluation and Authorization of Chemicals
GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals
UN: United Nations
CAS: Chemical Abstracts Service
DNEL: Derived No Effect Level
DMEL: Derived Minimal Effect Level
PNEC: Predicted No Effect Concentration

DD Bio Splint FLEX

Revision date: 28.10.2022

Page 9 of 9

ATE: Acute toxicity estimate
LC50: Lethal concentration, 50%
LD50: Lethal dose, 50%
LL50: Lethal loading, 50%
EL50: Effect loading, 50%
EC50: Effective Concentration 50%
ErC50: Effective Concentration 50%, growth rate
NOEC: No Observed Effect Concentration
BCF: Bio-concentration factor
PBT: persistent, bioaccumulative, toxic
vPvB: very persistent, very bioaccumulative
MARPOL: International Convention for the Prevention of Marine Pollution from Ships
IBC: Intermediate Bulk Container
SVHC: Substance of Very High Concern
TWA: time-weighted-average
WEL: working place exposure limits
STOT: specific target organ toxicity

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)